Cargille Immersion Liquid Code OHZB

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

1 Identification

· Product identifier

• Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

· Product code: 19581

· Recommended use and restriction on use

· Recommended use:

This SDS or an accurate copy is an integral part of using Immersion Liquid Code OHZB. Only use Immersion Liquid Code OHZB if the SDS is present. Conditions prevailing in this document, unless otherwise noted: Temperature = 23°C(73°F), Pressure = 1013.25 hPa (760 mm Hg).

For Professional and R&D use only. Conditions of Intended Use: (ABBR. C.I.U.) As an Optical Immersion Liquid at normal room pressure 101.32 kPa (760 mm Hg), temperature 7°C to 40°C (45°F to 104°F) in a non misted / non airborne state in a room having normal air changes (2) / HR., in a trained and supervised laboratory / industrial setting using standard Good Laboratory/Good Manufacturing procedures.

Note: Product normally sold in 4 oz (120cc) and 16 oz (480cc) quantities. Used in single drop to a few cubic centimeters per application. See requisitioner for specific quantities involved.

- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Cargille Laboratories 55 Commerce Road Cedar Grove, NJ 07009-1289 USA 973-239-6633 www.cargille.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

· Signal word: Danger

(Cont'd. on page 2)

Page: 1/11

Page: 2/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

· Hazard statements:

(Cont'd. of page 1)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7699-45-8 zinc bromide Skin Corr. 1B, H314; Eye Dam. 1, H318 60-80% Acute Tox. 4, H302; Skin Sens. 1, H317

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

(Cont'd. on page 3)

Page: 3/11

(Cont'd. of page 2)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Allergic reactions

Strong caustic effect on skin and mucous membranes.

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

Harmful if swallowed.

· Indication of any immediate medical attention and special treatment needed:

Contains soluble zinc salts. Consult literature for specific antidotes.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Use limestone to neutralize and absorb spill.

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

See Section 13 for disposal information.

(Cont'd. of page 3)

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Prevent formation of aerosols. Use only in well ventilated areas. Avoid contact with the eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminum.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Keep containers tightly sealed.

Storage Temperatures: 65 - 90 °F / 18 - 32 °C.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

(Cont'd. on page 5)

Page: 5/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

· Protection of hands:

(Cont'd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical and chemical properties		
Appearance: Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	>0 °C (<32 °F)	
Boiling point/Boiling range:	≤100 °C (≤212 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	≤21 mmHg	
Density:		
Relative density:	1.00-2.49 (Water=1)	
Vapor density:	≥1 (Air=1)	
Evaporation rate:	Not determined.	

Page: 6/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

· Solubility in / Miscibility with

(Cont'd. of page 5)

Water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined.

Kinematic at 25 °C (77 °F): 6 cSt

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Excessive heat.

Direct sunlight.

- · Incompatible materials Oxidizers, strong bases, strong acids
- Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1800 - 2200 mg/kg (rat)

7699-45-8 zinc bromide

Oral LD50 1477 mg/kg (rat)

- · Primary irritant effect:
- On the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

- · On the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 7)

Page: 7/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

(Cont'd. of page 6)

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Harmful if swallowed.

Causes severe skin burns and eye damage.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity Toxic for aquatic organisms
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No relevant information available.

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

(Cont'd. of page 7)

(Cont'd. on page 9)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN3264	
UN proper shipping nameDOTADR	Corrosive liquid, acidic, inorganic, n.o.s. (zinc bromide) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (zinc bromide), ENVIRONMENTALLY HAZARDOUS	
· IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (zinc bromide), MARINE POLLUTANT CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (zinc bromide)	
Transport hazard class(es)		
· DOT		
· Class · Label	8 Corrosive substances 8	
· ADR		
· Class · Label	8 (C1) Corrosive substances 8	
· IMDG		
· Class	8 Corrosive substances	

Page: 9/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

(Cont'd. of page 8) · Label 8 ·IATA · Class 8 Corrosive substances · Label Packing group · DOT, ADR, IMDG, IATA Ш · Environmental hazards · Marine pollutant: Symbol (fish and tree) Special precautions for user Warning: Corrosive substances · Danger code (Kemler): 80 F-A,S-B · EMS Number: · Segregation groups Acids · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

- · Transport/Additional information:
- · DOT

Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each. Product is additionally classified as a MARINE POLLUTANT based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

· ADR



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each.

· IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each.

(Cont'd. on page 10)

Page: 10/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

(Cont'd. of page 9)

·IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.1 L each / 0.5 L net.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Substance / component not listed individually, but listed under family group as Zinc salts.

7699-45-8 zinc bromide

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

7699-45-8 zinc bromide

D, I, II

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/10/2016 Revision: 11/10/2016

Trade name: Cargille Immersion Liquid Code OHZB nD= 1.465-1.5565

(Cont'd. of page 10)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information supplied is based on data available to us and is believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to this information presented and Cargille Laboratories assumes no responsibility for the result of the use of this product. This information is furnished upon the condition that the persons responsible for its use shall make their own determination of the suitability of the material for their particular purpose. Please note that we consider the English version to be the authoritative version for compliance and regulatory purposes.

- Date of preparation / last revision 11/10/2016 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

LDLo: Lowest Lethal Dose Observed

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com